NOTES:

1. SUBSTRATE:

N-BK7


2. COATING (APPLY ACROSS CLEAR APERTURE)


\$1 & \$2: NONE


3. FINE GROUND SURFACE

4. POWER, IRREGULARITY, AND SURFACE QUALITY SPECIFCATIONS APPLY ACROSS CLEAR APERTURE

5. ROHS COMPLIANT







FOR INFORMATION ONLY: DO NOT MANUFACTURE PARTS TO THIS DRAWING

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

	\$1	\$2	EFL	25.00		Edmund Optics	
SHAPE	CONVEX	PLANO	BFL	23.02			
RADIUS	12.920	∞	THIRD ANGLE PROJECTION		TITLE	10mm H x 20mm L x 25mm FL Uncoated,	
SURFACE QUALITY	60 - 40	60 - 40				Illumination Grade PCX Cylinder Lens	
CLEAR APERTURE	9.00 x 19.00	9.00 x 19.00					
BEVEL	PROTECTED AS NEEDED	PROTECTED AS NEEDED	ALL DIMS IN	mm	DWG NO		SHEET 2 OF 8